

# Journal of Earth and Environmental Sciences

**Review Article** 

Orlov S, J Earth Environ Sci: JEES-113. DOI: 10.29011/JEES-113. 100013

# Genesis of the Planet Earth

S Orlov\*

Petrozavodski StateUniversity, Petrozavodsk, Russia

\*Corresponding author: Orlov S, Petrozavodski StateUniversity, Petrozavodsk, Russia. Tel:+79535496127; Email: ion@sampo.ru

Citation: Orlov S (2017) Genesis of the Planet Earth. J Earth Environ Sci: JEES-113. DOI: 10.29011/JEES-113. 100013

Received Date: 18 May, 2017; Accepted Date: 22 May, 2017; Published Date: 29 May, 2017

#### **Abstract**

This article is basedonthe theory of vortex gravitation and physical abnormalities of the Earth- slowing its rotation. Defined orbital acceleration, weight, approach to the Sun and the age of our planet. Offered to justify the creation of planetary material in the center of the Earth torsion, and not as the accumulation of cosmic dust and meteorites from outer space.

**Keywords:** Celestial Mechanics; Cosmology; Cosmogony; Theoryof Vortex Gravitation

### Introduction

From the earlieststagespeoplebelieved thatthe Earth's rotationaround its axis and revolves around the Sun hasalways happened and is happening always in identical periods. Doubts about the constancy of the speed of rotation of the eartharoseafter the discoveryof E.Halleyin1695secular acceleration of the moon's motion. The idea of the secular slowing rotation of the Earthunder the influence of tidal frictionwas first proposed by Kantian 1755NowadaysRichardStephenson from Durham University in the UK, based on the descriptions of hundreds of solar and lunar eclipses last 2,700 years, came to the conclusion that the Earthcontinues low (Journal for the History of Astronomy b. 39, page. 229, 2008) [1].

Becauseslowing of the Earthare calledby many factors. These include the gravitational influence of the moon and sun, braking cosmic dust, atmospheric and geophysical processes and many other physical phenomena.


In this paper, conventional explanation sirregular rotation of the earthunderstood as an unprovenand (or) is negligibly small. External gravitational influences or atmospheric effects cannot onlyslow, but also accelerate the Earth's rotation.

The genesis of our planet, including the slowing of its rotation, full explained by the theory of vortex gravitation, cosmology and cosmogony (S. Orlov. Foundation of vortex gravitation, cosmology and cosmogony. Global journal of science Frontier research. Physic and Space Science Volume 12 issue 1 Version 1.0 January, 2012)[2] and the laws of mechanics.

For greater clarity, the readers, the next chapter outlines theprinciples of the theory of vortex gravitation.

# **Theory Vortex Gravitation**

Vortex gravitation theory (S. Orlov. Foundation of vortex gravitation, cosmology and cosmogony. Global journal of science Frontier research. Physic and Space Science Volume 12 issue 1 Version 1.0 January 2012)[2] is based onthe well-known astronomical facts-all celestialobjects revolve. The most logical explanation of the cause of this movement can be only one - the rotation of celestial objects spawned vortex rotation of cosmic matter - ether. Etherform global system of interconnected space vortices. Orbitalvelocityin eachvortex ether(torsion), decreasing from the centerto the periphery of the law of the inverse square of theremoval. According to the lawsof aerodynamics-the slower therate, the morepressurethere. The pressure gradient generates a forcepushingtowards the zone with the lowest pressure-to the centerof the torsion bar. Look (Figure 1). Thus, accumulates in the center of the torsion or createdcosmicmatter of whichis generated bay celestial body. Consider the equation of vortex gravitation theory obtained in.



**Figure1:** Two-Dimensional Modelof the GravitationalInteraction Between the TwoBodies.

Shownforces acting on thebody2.  $F_c$ -centrifugal force  $F_n$ -attraction force of body 2tobody 1,  $v_2$ -linear velocity of a bodyin orbit2, R - radius of the orbit, r1 - radius of the body1,  $r_2$  - radius of the body2,  $w_1$ -the angular velocity of rotation of the etheron the surface of the body1,  $m_2$  - mass of the body2.

As already mentioned, the result of motion of the vortex pressure gradient arises. Radial distribution of pressure and velocity in the ether (2) defined on the basis of the Nervier-Stokes equations for the motion of a viscous fluid (gas).

$$\rho \left[ \frac{\partial}{\partial t} + \vec{v} \cdot \text{grad} \right] \vec{v} = \vec{F} - \text{grad } P + \eta \Delta \vec{v}_{(1)}$$

In cylindrical coordinates, taking into account the radial symmetry = vz=0 = v (r), P = P (r) $\Phi$ , equation can be written as a system.

$$\begin{cases} -\frac{\mathbf{v}(\mathbf{r})^2}{\mathbf{r}} = -\frac{1}{\rho} \frac{d\mathbf{P}}{d\mathbf{r}} \\ \eta_T \left( \frac{\partial^2 \mathbf{v}(\mathbf{r})}{\partial \mathbf{r}^2} + \frac{\partial \mathbf{v}(\mathbf{r})}{\mathbf{r} \partial \mathbf{r}} - \frac{\mathbf{v}(\mathbf{r})}{\mathbf{r}^2} \right) = 0 \end{cases}$$

Where  $\rho = 8.85 \times 10^{-12} \text{ kg/m}^3$  -the density of (3), V –ethervelocity vector, P –pressureether,  $\eta$  - viscosity.

In cylindrical coordinates module gravity

$$F_{\pi} = V \cdot \frac{\partial P}{\partial r}_{(3)}$$

Then comparing (2) and (3) for an incompressible ether ( $\rho$ = const), we find that

$$F_{\pi} = V \cdot \rho \cdot \frac{v(r)^2}{r} \tag{4}$$

The Assumption Ne1– Etherpervades all space, including the physicalbody except nucleons. Volume V in the formula (4) - an effective volume - the volume of the elementary particles that make up the body 2. All bodies are composed of electrons, protons and neutrons. Radius of the electron is much smaller than the radius of the proton and the neutron radius is approximately the same and the last of the order rn  $\sim 1.2 \cdot 10^{-15}$  m masses of the proton and neutron are approximately the same as mn  $\sim 1.67 \cdot 10$ -27 kg (rn, mn - the radius and mass of the nucleon).

After the necessarytransformations (full paymentis set outin the theory vortex gravitation) is obtained:

• Equation for determining the forceof gravitydependingon the rotational speedether

$$F_{n} = \frac{4 \cdot \pi \cdot r_{n}^{3} \cdot \rho}{3 \cdot m_{n}} \cdot \frac{w_{1}^{2} \cdot r_{1}^{3} \cdot m_{2}}{r^{2}}$$
(5)

r<sub>n</sub>, m<sub>n</sub> -the radius andmass of the nucleon.

 Equations for determining the dependence of the pressure on the body surface P<sub>0</sub>, the rotational speed ether

$$P_0 = P_b - \rho \cdot w_1^2 \cdot r_1^2$$
 (6)

Where  $P_0$  - ether pressure at the surface of the body, using the boundary condition  $P(\infty) = P_b$ 

P<sub>b</sub>-free ether pressure.

(Figure 2) is a graph showing the pressure distribution in accordance with formula (6).




Figure 2: Radial distribution of ether pressure for the Sun.

# **Changes in Volume and Mass of the Earth**

According to the theory of vortex gravitation, cosmology and cosmogony, the initial moment of the appearance of any celestial body was the emergence of space, ether vortex. At the time ofits inception, each vortexcreated hisvortexgravity(Chapter 2). Vortexgravitycan be regarded as "generatorworldof matter "That sucksand (or)creates avortexinside theelementary particles. Thus, the mass of each celestial object in the initial moment of its existence was equal to the mass of the cosmic ether, from which it was formed vortex. Since the density of the ether is negligible, then the mass of each of the newly formed vortex ether should be close to zero. Consequently, each celestial body in the history of its existence increased its weight from "Zero Conditional" to these values. It is worth noting an important condition - cosmic whirlwind unopposed, constantly maintained and retains its original speed (see Assumption. № 1). Therefore, the space whirlwind constantly generates the same mass of substance. That is any celestial body increases the weight by a constant.

Modern studies customary slowing the Earth's rotation value 0.00002 seconds in each year (Journal for the History of Astronomy (b. 39, page. 229, 2008)[1]. Then the relative increase in time for the Earth's rotation around its axis is increased by a factor  $K_{\downarrow}$ .

 $K_t$ = (24 x 60 x 60 + 0, 00002) x (24 x 60 x 60)<sup>-1</sup>= 1+ 2,314 x 10<sup>-10</sup> By increasing the time for one revolution of the earth is inversely proportional tothe rotational speed decreases  $V_e$ . Then the relative decrease in the rate of rotation of  $K_v$  can be expressed as

$$K_y = K_y^{-1} = (1 + 2.314 \times 10^{-10})^{-1}$$
 (7)

Further calculations are based on the law of conservation of angular momentum the Earth's rotational round its axis.

$$M V_{v} R_{e} = const$$
 (8)

M -mass of the planet,

V<sub>y</sub> -the speed of rotation of the planet,

R<sub>a</sub>-the radius of the planet.

From equation (8)

$$M V_v R_e = (Km M) (Kv_v V_v) (Kr_e R_e) = const$$

Where the co efficient  $K_m$ ,  $K_{vv}$ ,  $K_{re}$  -show the relative changes in the values M,  $V_v$ ,  $R_a$ .

Hence,

$$K_{m}Kv_{v}K_{r_{0}} = 1 \tag{9}$$

Substituting (7) into (9) we obtain

$$K_{m}K_{re} = 1 + 2.314 \times 10^{-10}$$
 (10)

Planet mass(M), as well asits volume(V) is proportional to the radius of the planet in the cube.

$$M \sim V \sim Re^3$$
 here   
 $Kr^3 = K_{...}$  (11)

Substituting (11) into (10)

$$K_{2}^{4} = 1 + 2.314 \times 10^{-10}$$
 or

$$K = (1 + 2.314 \times 10^{-10})^{1/4} = 1 + 5.785 \times 10^{-11}$$
 (12)

Substituting (12) into (10) we determine the relative increase in themass of the Earth-

$$K_m = 1 + 1,735 \times 10^{-10}$$
 (13)

# To Determine the Absolute Values of the Physical Characteristics of the Earth

At rotation speedof the Earth surface eat the equator  $V_v$  = 465,1 m/s annual slowdown will

$$465.1 \times 2.314 \times 10^{-10} = 9.3 \times 10^{-8} \text{ m/sek}$$
 (14)

When the radius of the EarthRe =6371000 mannual increase in the radius of the Earth

$$6371000 \times 5{,}785 \times 10^{-11} = 3{,}7 \times 10^{-4}$$
мили $0{,}37$  мм/year (15)

Orv 37 cmvin 1,000 yearsvor 370m1 000 000years. Therefore, the earthvdeposits at a depth of vabout 370mvhave an average age of the sediments millionvyears ago.

When the mass of the EarthM =5.9736× 10<sup>24</sup>kgannualweight gain

$$5,9736 \times 10^{24} \times 1.735 \times 10^{-10} = 1,036 \times 10^{15} \text{kg}$$
 (16)

#### **Increased Earth**

The surface area of the Earth  $S_v = 4MR^2$ . Increasing the radius of  $-3.7 \times 10^{-4}$  m.

Then the volume of the Earth increases by-

$$4 \Pi R^2 \times 3.7 \times 10^{-4} = 4 \times 3.14 \times (6.371 \times 10^6)^2 \times 3.7 \times 10^{-4} = 1.886 \times 10^{11} \text{m}^3$$
 (17)

# **Additional Mass Density**

$$P = 3,456 \times 10^{14} \text{x} (1,835 \times 10^{11})^{-1} = 1883 \text{ kg/m}^3 (18)$$

**Note:** The absolute values of the above characteristics of the Earth are only validate present historical moment, as the speed, radius and mass of the planetare constantly changing.

# Mass and Age of the Earth, Orbital and Radial Motion

Earth's massis constantly increasing the amount of (13)

$$K_m = 1.735 \times 10^{-10} \times M$$

No outside forces act on the planet. Therefore, legitimate to use the law of conservation of angular momentum of the Eartha round the Sun.

$$M V_o R_o = const$$
 where  
 $K_m K_{vo} K_{ro} = 1$  (19)

M -mass of the Earth

V<sub>o</sub>-the orbital speedof the Earth

R<sub>a</sub> -radius of Earth's orbit.

 $K_{\rm m}$ ,  $K_{\rm vo}$ ,  $K_{\rm ro}$  - rate of change in the Earth's mass units, the speed of its revolution around the Sun and the orbit radius.

According to Kepler's law  $V \sim R_0^{-1/2}$ , we can write

$$K_{vo} = K_r^{-1/2}$$
 (20)

Substitute (20) into (19)

$$Kr_0 = Km^{-2} = (1 + 1.735 \times 10^{-10})^{-2} = (1 + 3.47 \times 10^{-10})^{-1}$$
 (21)

Substituting (21) and (13) into equation (19) we obtain

$$Kv_o = (KmxKr_o)^{-1} = (1 + 3,47 \times 10^{-10}) \times (1+1.735 \times 10^{-10})^{-1} = 1 + 1.735 \times 10^{-10}$$
 (22)

Mass of the planetincreasesalwaysconstant. Therefore, by dividing the mass of the Earth onits permanentannual increase (M  $\times$  1.735 $\times$ 10<sup>-10</sup>), we obtain the age of the planet

T = Mx (M x Km)-1= M x (Mx 1.735 x  $10^{-10}$ )-1=  $(1,735 x 10^{-10})$ -1= 5,76 млрд.лет

Radio isotopedating (Dalrymple, G. Brent (2001) «The age of the Earth in the twentieth century: a problem (mostly) solved». Special Publications, Geological Society of London 190: 205-

221)[3] established the ageof the planetsize of 4.54 billion years. It should be noted that the radio isotopedating explored only the surface layers of the planet. Therefore, the results of these studies (age) can be attributed only to the same surface layers.

The proposed method of determining the age of the planet considering as a single physical object, which increases the reliability of its results.

Annual approaching the Earth's orbitto the Sun

$$R_{o}xK_{ro} = 15 \times 10^{10}x 3,47 \times 10^{-10} = 52,05 \text{ м/год}$$

One revolution of the Earth around the sun(one year) is reduced by:

365,24 (сут) x 24 x 60 x 60 x 1,735 x  $10^{-10} = 0,0054$  сек/год

# Pastand the Future of the Planet

Calculation of physical properties in the past and in the future.

# 100,0000,000 Years Ago

#### • The Rotation of the Planet

Mass of the planet a billion years ago-1,036x10  $^{15}$ (kg) x (4.76 x  $10^9$ )(s)=4.93 x $10^{24}$ kg

Mass ratio-  $K_{m-1} = 4.93 \times 1024/5, 97 \times 1024 = 0,826$ 

The relative change Earth radius-  $K_{r,1} = (Km^{-1})^{1/3} = (0.826)^{1/3} = 0.94$ 

From equation (19), - 
$$K_{v-1} = (K_r \times K_{m-1})^{-1} = (0.826 \times 0.94)^{-1} = 1.288$$

Absolutevalues of theplaneta billion years ago.

Since the velocity of the planet was more than 1,288 times in, Length of daya billion years ago-18.6hours.

Radius of the planet was less than 0.94times or

$$R_{1} = 6.371 \times 10^{6} \times 0.94 = 5.988 \times 10^{6} M.$$

Consequently, the force of gravity was greater in  $(0.94)^{-1/2}=(0.88)^{-1}$  times. That is - F<sub>\_1</sub> = 11,1 m

#### • Handling the Planet

Using formulas 20, 21,22 and  $K_{m-1} = 0.826$ , we find:

The relative decrease inorbital velocity(1billion years ago) -

$$K_{yo-1} = 0.96$$

The ratio of the radio of  $K_{ro-1}=1.075$ 

#### • Radius of the or bit billion years ago

$$R_{o-1}$$
= R x  $K_{ro-1}$ = 15 x 10<sup>10</sup>x 1,075 = 161,25 млн. Км

The number of days (18.6 hours). Per revolution (one year)-527days.

#### After 100,0000,000 years in the Future

#### The Rotation of the Planet

Mass of the planeta billion years -1,036 x  $10^{15}$  (kg) x 6,76 x  $10^{9}$  (years) = 7,0 x  $10^{24}$  kg

Changing themasses-  $K_{m+1} = 7.0 \times 10^{24} / 5.97 \times 10^{24} = 1.173$ 

The relative change

Radius of the Earth-  $K_{r+1} = (K_{m+1})^{1/3} = (1,173)^{1/3} = 1,055$ 

From equation (19), -  $K_{v+1} = (K_{r+1} \times K_{m+1})^{-1} = (1,055 \times 1,173)^{-1} = 0,81$ 

The values of absolute the properties in future years. the of the planet in a billion Since the rotation speed of the planets will be less than 0.81times,

Length of the day -29.6hours

Radius of the planet -R<sub>+1</sub> = 6,721x10<sup>6</sup> m

The gravitational forceF = 8.8 m

## Handling the Planet

Using formulas 20, 21,22 and  $K_{m+1} = 1,173$ , we find:

• The relative increase inorbital velocity(inbillion yearsin the future)

$$K_{vo+1} = 1,042$$

- Relation of orbital radiuses  $K_{ro+1} = 0.92$
- Radius of the orbit

$$R_{o-1} = R \times K_{ro+1} = 15 \times 10^{10} \times 0.92 = 138 \text{ mln km}$$

Duration of one turn(one year) -261.2 day.

**Note 1:** The proposed calculations of the radius of Earth's orbit are valid only if the or bital plane is considered a celestial body(the Earth) coincides with the center plane of the gravitationalaether vortex. In the event ofthe orbital planeof the celestial bodyof the plane gravitation altorsionvortex gravitation force reduced in proportion to the cube of the cosine of the deviation. A detailed calculation of this dependence presented in the theory of vortex gravitation.

Orbital plane of the Earth's gravity deviates from the plane by 1 degree. Consequently, the tops of the small semi axes earth or bitforces wirlsolar gravity decreases by 0.045% in comparison with the magnitude of gravity, which was determined bythe classical equations. Therefore, changing the radius of the orbit of the Earth or the duration of the year in the past orthe future, calculated in this article actually has smaller values.

For large deviations of the orbital planes of any celestial object and the long duration of their existence can remove the orbital trajectories of these objects from the call center. Such removal (38 mm per year) is currently seen in the moon.

## **Creation of Substance of the Planet**

Most modern scholars explain the increased mass of the planet and meteorite dust flux of cosmic matter on Earth. The magnitude of this cosmic matter is determined by researchers in the order of several tens of thousands of tons (10<sup>7</sup>kg) per year. In this paper, we calculated that the observed slowing rotation of the planet can only be achieved by increasing the mass of the planet at 1,036 x 10<sup>15</sup> kg per year (16). This calculated weight exceeds the estimated mass of cosmic matter that falls to Earth from space, hundreds of millions of times. Consequently, the total mass of cosmic dust and meteorites falling annually on our planet is negligible. Therefore, the study of increasing the mass of the Earth, the mass of meteorites can be neglected and consider another source of creation of matter.

Based on the principles of vortex gravitation and cosmogonythe substance of all celestial bodies (elementary particles) create etherealvortices.

Consider the principles of vortex cosmogony.

According to the theory of ether-dynamics (V A Atsurovskiy. General ether-dynamics. Energoatomizdat. Moscow, Russia.1990. Page 278)[4], the following parameters of the ether:

Pressure in the quiet, motion less air-2x10<sup>32</sup>nm<sup>-2</sup>

Ether density  $\rho = 8.85 \times 10^{-12} \text{kg/m}3$ 

On the basis of equation (6) at a speed of ether  $v_0 = 4,75 \times 10^{21}$  Earth torsion pressure should drop to zero (Figure 2).

We define theradius of the orbitof the Earth torsionwith zero pressure.

On the basis of equation (5) determine the rotational velocity of the ether on the Earth's surface is  $v_e = 1.277 \times 10^{18}$  m/c. Transform equation (20) -

$$V_{0}^{2}/v_{e}^{2} = r_{e}/r_{0}$$
, where

 $v_{_{\rm e}}$  = 1.277x10  $^{\rm 18}$  m/c - The orbital velocity of the etheron the surface of the Earth

 $v_0 = 4,75 \times 10^{21} \,\text{m/c}$  – ether velocity in orbit with zero pressure

r<sub>a</sub> =6371000m -radius of the Earth

 ${\bf r_0}$  -earthorbit radius of the vortex, where th pressure is zero(noorbit).

Substituting the knownvalues of  $v_0$ ,  $v_e$ ,  $r_e$ , define  $r_0$ .

$$r_0 = 0.46 \text{ m}$$

Zero pressurein the Earth'sorbitto anytorsionmeans cessation of ether motion on this orbit, which caused reduction (increase) in ether pressure to the initial value in the quiescent state- 2 x10<sup>32</sup>Nm<sup>-2</sup>.

Note. Meteorologists note full tranquility (calm) in the center of tropical or sea storms. These phenomena are called "a storm eye".

The sharp increase inpressure in the central orbits torsion in these areas will create a vortex anti-gravity forcedirected from the center of the torsion of the orbit with zero pressure (46cm).

Thus,on the above, the zeroorbitthe Earth torsion, on both sides,there are twohuge forcesoverthe vortex gravitation. From equation (5) determine the gravitational force  $(F_0)$  in the Earth's orbit on the torsion barwith a radius of 0.46m.

$$F_0 = 1.9 \times 10^{15} \text{m}$$

Two opposite forces of gravity give rise to corresponding compression forces that cause the seal over rarefied ether to super dense state. Thus, in the center of any cosmic torsion created over dense core, which does not pass through it any radiation, including air. In the downtown core - the emptiness. At the same time, the core material is impermeable barrier to the orbital rotation of the ether on the orbits of the orbit below the outer surface of the core. When driving close to the surface of the ether in its core flow turbulence arises, twist and many micro vortices. These micro vortices similar planetary torsion, its own gravity pulls and seals the outer gaseous. In the center of micro-torsions particle density reaches the nucleon density - 1017 kg/m<sup>3</sup>. It should be noted that the establishment of micro-torsions occur at higher orbits the Earth torsion than the orbit of the nucleus. Vortex gravitation force decreases with increasing orbit. This allows not only nucleons, but also atoms. Continuously generated by the atoms of various substances in the central space of the vortex, generate celestial bodies. Throughout the history of the mega all the heavenly bodies the formation of atoms - continuous. Pouring into the magma, the newly formed atoms constantly "Feed" the heavenly bodies more weight. Magma periodically overflowing through the Earth's crust cracks comes to the surface as lava. Geologists estimate the total mass of lava poured out a year tens of cubic kilometers, or 10<sup>12</sup> cubic meters. The average population density in the order of lava 10<sup>3</sup> kg\m<sup>3</sup>, its mass is measured about 10<sup>15</sup> kg.

Consequently, the actual mass of lava poured out annually, representing an increase of mass of the planet, according to the proposed settlement. This proves the accuracy of the proposed study on age and change in the physical parameters of the Earth.

The mere appearance of the substance (lava) from the depths of the planet proves that the substance appeared in the bowels of the earth, and was not delivered from space. This statement is obvious as meteorites or a space dust can't get in a planet body.

Continuous creation of substance from ether in a planet possibly only at continuous inflow of ether to the planetary torsion.

We will determine the volume of ether necessary for creation of  $10^{15}$  kg of planetary substance.

Increases in mass of Earth has to be equal to the mass of ether from which this additional mass of a planet was created. If we share quantity of annual increase in mass of Earth into ether density, we will determine the volume of ether which annually is required for substance weighing 10<sup>15</sup> creation.

Ve = 
$$m/\rho = 10^{15}/ 8.85 \times 10^{-12} = 1{,}13 \times 10^{26} \text{ m}^3$$

This volume corresponds to the volume of the ether's torsion with a radius of 1 million km and with an axial thickness of 100 thousand km

All of the above principles of vortex cosmogony apply to all celestial bodies in our universe.

The main conclusion of Chapter 6 - the substance is created by cosmic vortices of ether inside of celestial bodies. Moving the matter in the universe from one celestial body to another has only a minor character and the physical properties of celestial bodies affect.

Generated in the Earth's coreatoms of chemical elements are constantly over whelmed this kernel and create a giant pressure overlying layersofthe planet. This pressure exceeds in magnitude the opposite direction to himthe gravitational pullof the Earth. Thus, the overlying layers of the earth continuously shifted by the lower layers towards the surface. During this movement, the chemical elements at certain depthsenter the geophysical processes and formwe all known in organic compound-rock, hydrocarbons, water, and other gases. At a certain moment in history, these deposits are close to the earth's crust, or come to the surface of the Earth. Consequently, all the necessary human civilization minerals in exhaustible. In place of the explored and develophydrocarbons, diamonds, gold and other precious natural resources for humans, the Earth will create new and thrust them out of their depth in the crustor on the surface.

The proposed principles of inorganic matter, just as likely to apply to the creation of an organic substance. Onlycertainearthform ationsareextremechemicaland physicalconditions which permitthe synthesis of organic molecules and their compounds. Obviously, on the surface of planets create conditions impossible. Consequently, there cannot be a synthesis of organic matter.

Organic matter, since its inception in the depths of the heavenly bodies, in certain historical moments erupts on the surface of the Earth, together with inorganic substances. For the development of the organic substance a variety of animal and plant species on the

Earth's surfacerequires the existence offavorablenatural conditions, primarily these include optimal vortex gravitation forceon the surface of the planet and the solar heat and light exposure.

Not onlyplant and animal speciesemergedfrom the bowelsof the planet, but alsopathogenic viruses and bacteria, as evidenced by the annals of weather disasters and epidemics. Message from Thucydides (c.460-400 BC) is known, that the epidemic that raged in Attica between 436 and 427 years. BC, accompanied by stronge arthquakes, seafloods, droughts and crop failures. In Europe, after the eruption of Etnain 1333, broke out "Black Death" - the bubonic and pneumonic plague, bevel most of the population of medieval Europe (about 60 million). In article (A.L. Chizhevsky "Epidemic catastrophes and periodic activity of the Sun" (Moscow, 1930.172 pp.) [5] A. Chizhevsky noted numerous cases of the relationship of animal diseases and plant protection and catastrophicat mospheric phenomena.

Consequently, most commonly known to mankind world catastrophes (floods, glaciation, pandemics, tectonic movements of the crust, etc.), as well as the emergence and transformation of the atmosphere, hydrosphere, biosphere, topography and climate occurred and are occurring as a result of emissions to the surface of terrestrial matter. Meteorites and cosmic dust have on the development of the biosphere is only minor and insignificant impact.

The basis of all organic and inorganic matter - ether. For the development of air into living or non-living body, that is, for their origin and evolution are necessary extreme conditions that can only be created inside a celestial body and the corresponding vortex. Thus, space, ether vortices - creators of all known forms and types of matter.

#### References

- Journal for the History of Astronomy (2008) 39: 229.
- Orlov S (2012) Foundation of vortex gravitation, cosmology and cosmogony. Global journal of science Frontier research. Physic and Space Science 12.
- Dalrymple GB (2001) The age of the Earth in the twentieth century a problem mostly solved. Special Publications. Geological Society of London 190: 205-221.
- Atsurovskiy VA (1990) General ether-dynamics. Energoatomizdat 5: 278.
- ChizhevskyAL (1930) Epidemic catastrophes and periodic activity of the Sun:1-172.